
MASTER SIGNATURE ARTWORK



RECOMMENDED SIZE WITH CLEAR SPACE



Blue indicates **Clear Space**. The blue area must be kept free of other elements. Grey padding indicates **Safe Zone**. Magenta indicates type and element alignment and boundaries.

The minimum required **Clear Space** is defined by the measurement 'X' (equal to the height of the uppercase letters, known as the 'cap-height'. The width is equal to the height.)

FONTS USED IN LOGOTYPE

BentonSans Regular (Text width 110%)

1234567890 !@£\$%^&*()-=+ ABCDEFGHIJKLMNOPQRSTUVWXYZ

ALTERNATIVE LOGO VERSIONS & SPECIFICATIONS

Minimum Width

0

Website Favicon





DONT ABUSE YOUR LOGO

Biomedical Engineering

Don't stretch or distort

Don't change element size

Don't change fonts / colour







COLOUR PALETTE

Suggested Colour Splits









Suggested Pantone: CMYK: HTML Codes:

Pantone Black C C0 M0 Y0 K100 #000000

Pantone Cool Gray 10 C C0 M0 Y0 K75 #626366

Pantone Cool Gray 6 C C0 M0 Y0 K40 #a7a9ab

Suggested Pantone:

CMYK: HTML Codes: Pantone 7683 C C100 M56 Y0 K0 #006ab6



Pantone 2975 C C40 M0 Y0 K0 #8dd7f7